## IN THE CLAIMS:

1. (Original) An ink base for producing pigmented inks having a water base, the ink base comprising:

a drying retarder and a pH adjusting agent;
wherein the drying retarder comprises at least
diethylene glycol (DR1), 1,6-hexane diol (DR2), and
pentaerythritol (DR3);

wherein the pH adjusting agent (PH) comprises at least one amine;

wherein the ink base comprises at least

diethylene glycol (DR1) 30.0 - 95.5 % by wt.

1,6-hexane diol (DR2) 3.0 - 40.0 % by wt.

pentaerythritol (DR3) 0.01 - 3.0 % by wt. and

amine (PH) 1.5 - 15.0 % by wt.

- 2. (Original) The ink base according to claim 1, wherein the at least one amine has the formula  $N(R1\ R2\ R3)$ , wherein R1, R2, and R3, independent from one another, are hydrogen (H), a dimethyl group ( $CH_2$ ) or an ethyl group ( $CH_2CH_2OH$ ).
- 3. (Currently Amended) The ink base according to claim 1, further comprising at least one additional drying retarder (ADR) selected from the group consisting of gycols glycols,

pyrrolidones, and glycerin.

- 4. (Original) The ink base according to claim 1, further comprising a salt-free coloring agent.
- 5. (Original) The ink base according claim 4, wherein the coloring agent is a pigment or a pigment preparation.
- 6. (Original) The ink base according to claim 1, further comprising at least one of surfactants, preservatives, and emulsifiers.
  - 7. (Original) An ink comprising: an ink base according to claim 1; coloring agents; and water.
- 8. (Original) The ink according to claim 7, further comprising surfactants, preservatives, and emulsifiers.
  - 9. (Original) The ink according to claim 6, comprising:
  - 20.0 95.0 % by wt. water (bidistilled) (SOL),
  - 0.1 40.0 % by wt. pigment preparation (COA),
  - 0.1 10.0 % by wt. triethanolamine (PH),

```
0.01 - 2.0 % by wt. pentaerythritol (DR3),
0.5 - 10,0 % by wt. 1,6-hexane diol (DR2),
0.2 - 30.0 % by wt. diethylene glycol (DR1),
0 - 20.0 % by wt. polymer dispersion (BM),
0.01 - 0.5 % by wt. preservative (PS),
0 - 2.0 % by wt. surfactant (SF), and
0 - 30.0 % by wt. additional drying retarders (ADR).
```

10. (Original) The ink according to claim 7 for inkjet printing or machine-based writing, printing, drawing or marking.